

Newton: Infrastructure for the Community Economy

V0.5

July 2018

Newton Foundation

newtonproject.org

Pay tribute to the great scientist, and the founder
of the gold standard system,
Sir Isaac Newton!

Mr. Xu Jizhe (xujizhe@newtonproject.org) is the main author of this paper. Mr. Li Shubin, Mr. Xia Wu, Mr. Meng Guang, and a few anonymous proof readers have participated in the discussion and drafted part of this whitepaper. The main purpose of this paper is to introduce the background, ideas, and technical concept of the Newton project. For more information, please visit the Newton official website.

In order to ensure the safety and stability of Newton project's initial operation, and its subsequent efficient technical improvement, Newton will remain closed for one year after its official release and will open when appropriate.

Newton Foundation Ltd. is registered in Singapore.

Contact information:

Official website : <https://www.newtonproject.org>

Email address :

- Whitepaper : newton-whitepaper@newtonproject.org
- Human-machine community : newton-community@newtonproject.org
- Token exchange : newton-ir@newtonproject.org
- Public relationship : newton-pr@newtonproject.org
- Ecological development foundation : newton-fund@newtonproject.org
- Newton council : newton-council@newtonproject.org
- Others : contact@newtonproject.org

Everyone should benefit directly from economic growth!

Human-machine communities have established a new economic model, i.e. the community economy, through smart collaboration and chain-commerce. Newton is the infrastructure of the community economy, and its technical framework includes the application layer, the protocol layer and the foundational technology layer. Newton provides complete governance, collaboration, incentives and other support for establishing a community economy. Newton's human-machine nodes are self-driven and automatically motivated, thereby forming a business model in which everyone contributes and everyone benefits.

Contents

1. Background	6
2. Human-Machine Community	6
2.1 Human Nodes	7
2.2 Machine Nodes	7
3. Smart Collaboration	7
4. Chain-Commerce	7
4.1 Token Design	8
4.2 Incentive Design	8
5. Technology	9
5.1 NewChain	9
5.2 NewNet	10
5.3 Atom Hashing	10
5.4 NewIoT	11
5.5 NewAI	11
6. Hyper Exchange Protocol	11
6.1 Digital Identity and Credit	12
6.2 Supply Chain	12
6.3 Digital Marketing	12
6.4 Transactions and Payment	13
6.5 Reliable Physical Channel	13
6.6 Automatic Finance	13
6.7 NNIO	14
7. Community economy	14
References	15

1. Background

Science and technology play an important role in the evolution of human civilization. Every major scientific discovery and its application have greatly improved human life. The invention and large-scale application of the steam engine marked the beginning of the first industrial revolution and ushered in an era in which machines replaced manual labor. With the invention and application of electric power and internal combustion engines, the second industrial technology revolution began and the continuing electrical era started. As computers and the Internet were invented, the third technological revolution began, and human beings entered the information era and created a “Bit World” that never existed before. Now that the “Bit World” has become a new land for mankind with profound influence on human civilization.

Looking back at the history of information technology, there is a less-known development path with profound influence: The Free Software Movement [1] initiated by Richard M. Stallman in 1983. In the early days of the computer industry, software was sent to users in the form of source code so that users can make full use of their hardware in a reasonable way. With the application of copyright law in the software field, software was authorized to users in binary form, representing the start of the era of proprietary software. In this context, Richard M. Stallman launched the GNU project in 1983 to develop a free and complete operating system, ushering in the free software movement [2]. By the beginning of the 21st century, great progress has been made in the free software campaign, including abundant software technologies, complete free software licenses, global community and so on. The emergence of free and open source hardware such as Arduino and Raspberry Pi marks the development of free and open source intellectual property rights movement from software to hardware domain.

In the second half of 2008, Satoshi Nakamoto published a paper via a mailing list: "Bitcoin: A Peer-to-Peer Electronic Cash System" [3], and released free and open source Bitcoin software in early 2009, which shows that the development of free and open source philosophy has spread from software and hardware into economic field.

2. Human-Machine Community

Usually, an organization is self-interested. For example, a commercial company usually consists of some internal roles such as shareholders, employees, etc., and the company's external roles such as users, customers, partners are separated from those internal roles, causing inefficient coordination. Besides, both the internal and the external roles are equally important contributors to the company's development, but external roles cannot effectively participate in formulating company's business rules, nor do they enjoy the wealth brought by the company's value growth. Since the third industrial revolution, as science and technology develop, machines have gradually replaced our hands and feet, and even some of our brains' functions, and our life quality has been greatly improved. However, generally speaking, the use of computers and the human-machine relationship are still in its early stages.

Blockchain can automatically verify trustworthiness of users in the user community (“credit”) in a free, open, peer-to-peer manner without an authoritative intermediary. Under this credit system, the “Bit World” with atomic properties can establish property rights and scarcity, turn data into wealth, and combine technologies such as Internet of Things and artificial intelligence to establish trust, collaboration and incentives between people, between machines and between people and machines.

Each person and each machine can be a node, linked together to form a human-machine community. Through comprehensive evaluation of the credit, token, human-power, and computing power of the node, the node's NewForce, which can be used as a measurement system, can be computationally assessed. Under the premise of orderly governance, super nodes can be elected through voting mechanism to optimize the human-machine community.

2.1 Human Nodes

One of the most precious characteristics of humans is rich emotions and their resulting uncertainty. Through the use of blockchain, token and other technologies, we can break the original organizational boundaries and geographical restrictions, and establish a new kind of open, distributed, and autonomous organization. In this environment, each person is an independent node, and can elect super nodes around the world through voting mechanisms, which can ensure more effective large-scale collaboration and innovation.

2.2 Machine Nodes

Compared to human beings, one of the most important features of a machine is certainty. By combining blockchain, tokens, Internet of Things, artificial intelligence and other technologies, a machine network which includes a credit system and an economic model can be constructed. Each machine becomes a network node and performs corresponding functions. The super node can be elected through the voting mechanism.

Human nodes and machine nodes intertwine with each other to form a human-machine community, giving full play to human creativity and machine certainty to innovate and accumulate consensus. In this way, the community gains continuous development.

3. Smart Collaboration

The use of computers, the Internet and other technologies have greatly improved human collaboration. However, due to the lack of a good credit verification mechanism, the current collaborative processes require a large quantity of manual confirmations to establish a credit system, so the overall collaboration can be considered as semi-automatic.

In the human-machine community, collaboration can be achieved more intelligently, such as: programming business collaboration through smart contracts to achieve reliable, automated, and efficient multi-party collaboration; automatic information subscription and value transfer between devices, etc. In this way, large-scale smart collaborations between people, between machines, and between people and machines, can be built across organizations, industries, and regions.

4. Chain-Commerce

Incentives are the foundation for integrating talents and resources. Under the traditional companies' organizational structure, capital gains have far exceeded labor income. A new generation of giant commercial institutions which have developed along with computers and the Internet are accelerating the accumulation of capital gains. This business model, in which most people contribute to the benefit of few people, often creates monopolies and hinders continuous innovation.

Chain-commerce is the basic business model of the human-machine community. In this model, any behavior contributing to the human-machine community will be rewarded. Service providers, consumers, users, customers and other economic actors can effectively participate in formulating and implementing business rule, establish smart collaborations and operate in an automatic, open and transparent manner. Human-machine nodes are self-driven and automatically motivated, thereby forming a business model where everyone contributes goods and services and are fairly remunerated for such contributions through a transparent and programmable incentive system.

4.1 Token Design

Newton Token, abbreviated as NEW, with a total circulation of 100 billion, is a built-in tool for value measurement, storage and incentives, which can transfer value between the main chain and its sub-chains and between the sub-chains, for example: payment of transaction fees, purchase of commercial resources, incentive contributions, etc. The time mentioned below is based on the creation time of the NewChain Genesis block.

Actor	Proportion	Description
Founding team	10%	<ul style="list-style-type: none"> • Incentives for founding team; • The first year is the locked period. From the second year, every month 1/24 of the total amount will be unlocked.
3 rd Party Token Exchange	15%	<ul style="list-style-type: none"> • For foundation's initial operation; • Specific exchange options, such as rounds, ratios and lock-up clauses, etc., please refer to the official website.
Foundation	15%	<ul style="list-style-type: none"> • For foundation's later operation; • 1/2 of the total amount is immediately unlocked, the rest will be unlocked 1/12 every month.
Community	60%	<ul style="list-style-type: none"> • Incentives for community; • Unlock over the next fifty years.

Newton token Metrics

4.2 Incentive Design

As beneficiaries of commercial activities, service providers need to lock in and pay Newton tokens to obtain commercial resources. Since there is no commercial intermediary seeking excessive-profits, transaction costs will decrease significantly compared to traditional business, so consumers may purchase goods and services at lower prices. In order to match the economic scale growth of the human-machine community, the system will issue NEW according to community-defined algorithms. The NEW paid by service providers and the NEW issued by the system will be put into the incentive pool.

A node or a super-node can increase its NewForce value by making a positive contribution to the human-machine community through the Proof of Contribution (PoC) system. The system will feature an incentive distribution algorithm that will distribute “NEW” in the incentive pool to

human-machine nodes based on their NewForce value, which in turn shall be based on the amount of computing resources, storage resources, or other services provided by the human-machine nodes to the system. By doing this, the human-machine community enters a positive cycle, expands in scale, and sustains development and innovation..

5. Basic Technology

We will develop a series of basic technologies to support the Hyper-transport protocols. The design goals and technical solutions for each basic technology will be outlined below.

5.1 NewChain


NewChain will focus on and enhance its blockchain's scalability, performance and privacy controls and support flexible data structures, transaction processing mechanisms, and improved access authority control. Initially, human-readable namespace encoded within 6-32 unicode characters will be used as account identifiers, and identifiers with less than 5 unicode characters will be reserved for system-level purposes.

NewChain consists of a main chain and many sub-chains. The main chain supports account management, Newton token management, sub-chain management, human-machine network governance and more. The specific business runs on the sub-chains which support multiple consensus mechanisms and data structures. Value exchanges can be achieved between the main chain and sub-chains, and between sub-chains. A third-party can create new sub-chains after staking a certain amount of Newton tokens and passing a verification procedure, and the new sub-chains can issue new passes.

The main chain and the sub-chains communicate through the Value Transmission Protocol which defines two types of transactions: VTPBlockTx and VTPDataTx. VTPBlockTx defines the format of the latest block information submitted by the sub-chains to the main chain. The main chain then verifies the legitimacy of information submitted by the sub-chains, indexes the real-time operating status of the sub-chains and adjusts the system accordingly. VTPDataTx defines the format of transferring data and executing smart contracts between sub-chains.

The NewChain nodes support distributed database plugins, such as MongoDB, Apache Cassandra, and more, and the block data is stored in fragments to maintain sufficient scalability. By analyzing the correlation of transactions with a static analysis engine, transactions can be executed in parallel. Performance can be further optimized by deploying nodes that include the main chain and all the sub-chains.

The main chain uses a Delegated Proof of Stake (DPoS) consensus mechanism to build an economic model, and the super nodes are elected through voting. NewVM is compatible with the Web Assembly [7] standard, allowing the development of smart contracts using mainstream programming languages such as C/C++, Java, Python, and Type Script. The system provides a number of built-in smart contract templates to help simplify the development process. The system also provides certified, open, auditable information services such as logistics information, banking data, medical data, and public event to facilitate the execution of smart contracts to complete business logic.

Application Layer**Protocol Layer: Hyper Exchange Protocol****Basic Technology Layer**

Technical framework

5.2 NewNet

In addition to transactions, payment and other functions, there is a large amount of data to be stored such as: text, pictures, video, etc., as well as complex computational requirements. Transaction business can be handled by NewChain, which will serve as a decentralized computing infrastructure providing services for applications, including name services, computing services, and storage services.

NewNet is an open network that provides secure and reliable storage services and supports databases and multiple common programming languages. Most services will be directly hosted on NewNet. Developers will be able to publish computing tasks while nodes will select the corresponding tasks based on their computing power, complete the tasks and get corresponding rewards through NewNet's incentive system. Decentralized name services will be implemented through blockchain technology to increase the ease of use of NewNet.

Users can directly access NewNet through regular browser software, where they can choose to synchronize all network services to their local nodes or download data when needed. If users do not want to run NewNet nodes locally, they can choose to access NewNet through proxy nodes.

5.3 Atom Hashing

Blockchain technology introduces a solution framework to secure and trade digital assets. Non-digital assets are currently mainly registered through manual identification, sequence number marking, etc., which is unreliable and easy to counterfeit. This makes it difficult for material assets to be traded and circulate on the blockchain. The non-digital asset labeling and the speed of the authentication of rights do not match the speed of transactions, which is one of the important reasons for the proliferation of counterfeit goods.

Atom Hashing uses techniques such as machine vision, and deep learning technology to quickly extract multiple characteristics of non-digital assets, including weight, volume, size, shape, texture, optical properties, radioactive properties, thermodynamic properties, and a variety of customized random features. Based on the data concerning these characteristics and algorithms, the unique identification and authentic right for the non-digital asset can be created. The whole process can be repeatable, verifiable and fault-tolerant. For example, before commodities leave the factory, the atomic hashing calculation can be performed on the commodities, and the calculated results can be stored on the blockchain. In the subsequent circulation of the commodities, the customers can verify whether the commodity they received is the original one at any time. Presently the cost of using this technology is relatively high, so it will be mainly applied to specific commodities, such as diamonds, jade, etc., and will be applied to a wider range of goods after technological advancements and cost reductions.

5.4 NewIoT

NewIoT will include blockchain gateways, communication protocols between IoT devices and gateways, design specifications, and so on. The gateway has powerful computing and storage capabilities with built-in blockchain nodes, supporting multiple Internet accessing methods including: Ethernet/fiber, 3G/4G/5G, NB-IoT, IoT communication protocols such as BLE, Wi-Fi, ZigBee and so on. These IoT devices will store their collected information into NewChain through the gateway.

Based on the NewIoT specification, a series of NewChain IoT devices can be developed, including the sensors for temperature, humidity, air pressure, illumination, acceleration, vibration, magnetic field, pressure, harmful gases, GPS and other sensors, sound collectors, image collectors, etc. Information and value can be exchanged between devices when needed.

5.5 NewAI

NewAI is a distributed artificial intelligence engine that integrates distributed data sources (such as user authorization data, data providers, etc.), algorithm models, and computing resources to complete a given task. NewAI consists of data protocol NDData, model protocol NDModel, and execution engine protocol NDEngine.

NDData is a data access specification that includes multidimensional data formats, data fragmentation, data compression, data encryption, etc. Multidimensional data is compatible with HDF (Hierarchical Data Format) and can directly apply a large number of existing analysis programs. The users' private data safety will be protected by the k-anonymity, ϵ -differential privacy and other methods. NDModel is a specification for algorithm model definition, operation and storage that supports protocol buffers, caffe model, JSON and other formats while having a built-in common AI algorithm model. More AI algorithm models will be provided by algorithm model developers. App developers can check the effects of the algorithm model and use Newton tokens to purchase the model's usage rights. NDEngine is a specification for executing engine registrations, deployment, operation, monitoring, and shutdown, using container technology to run AI calculation software such as Tensorflow and caffe.

6. Hyper Exchange Protocol

The Hyper Exchange Protocol is the basic commercial protocol stack that supports the operations of

upper layer applications. The design objectives and technical solutions of each protocol are outlined below:

6.1 Digital Identity and Credit

The blockchain asymmetric encryption algorithm is a natural user authentication system that can construct a decentralized digital identity system. NewID is the only permanent identity in the system's namespace. With NewKey, users can easily manage their digital assets, such as: tokens, data, credit, etc., while maintaining access control, including authorizing third parties to access their digital assets, getting benefits, and so on. Due to the inherent tamper-resistant characteristic of blockchain, the credit system can be developed and formed naturally.

Credit access: Users can access their personal credits at any time and set their own credit model.

Credit access control: a third party needs to apply for access to a user's credit through an access control protocol. The user may choose to pass or refuse authorization. Credit Access Audit: check your own credit access control records, transaction records, etc.

6.2 Supply Chain

Commodities usually go through many intermediaries such as logistics, warehousing, customs clearance, sales, etc., before being finally delivered to consumers. When there is an after-sales service, there will be a corresponding reverse process. The current supply chains have almost never been open and transparent. It is difficult for consumers to learn the origin of goods, circulation information, etc. For some industries, such as food, medicine, and luxury goods, this is a very serious problem. Therefore, a traceable and reliable supply chain system that is open and transparent to all stakeholders is significant.

Digital identity of the commodity: Establish a digital identity for commodities and track their relevant information at any time through the use of atom hashing and other digital identity-verification technologies.

Traceability of the whole process: Through the use of NewIoT, NewChain and other technologies, all operations concerning commodities in the supply chain, such as time, location, operator, description, etc., will be automatically be stored on the blockchain to ensure that data is tamper-proof. The supply chain is transparent to stakeholders and they can track the status of the commodities at any time.

Processing of commercial smart contracts: Through smart contract technology, users can complete automatic insurance claim, transfer property rights and complete many other commercial interactions according to pre-set business rules, thereby reducing transaction conflicts and promoting cooperation.

6.3 Digital Marketing.

The current digital marketing system is inefficient [8]. Users passively accept a large number of advertisements while they can't get the information they need quickly, and usually don't get any incentives. For advertisers, it is difficult to achieve accurate delivery as the payment mode based on exposure, clicks, interactions and other behaviors are indirect promotions, which lead to a large amount of non-transparent and inefficient marketing expenses from merchants.

Marketing Contracts: Advertisers can set marketing plans through various marketing smart contract templates built-in the system, including: target users, incentive models, settlement methods, and

dynamic price adjustment rules. Marketing subscription: Users can choose whether or not they accept marketing advertisements, as well as the type of information they need, price range they prefer and so on. Marketing Audit: Advertisers can audit ongoing and completed marketing contracts. Marketing Analysis: Through the NewAI system, market research can be conducted before marketing campaigns, and campaign results can be analyzed after the marketing is over.

6.4 Transactions and Payment

Current offline transactions contracts have a high execution cost. The online e-commerce system is less flexible because the transaction logic is implemented at the product level. Current transactions' payment costs are high with low efficiency and poor flexibility. Through blockchain technology, a new generation of transaction and payment system can be built.

Transaction smart contracts: Users can define transactions through system's built-in smart contract templates and rule engines, including multi-party transactions based on complex business rules, settlement rules, and can associate with smart insurance contracts, smart financial contracts, and off-chain services.

Global payments: support for cross-border transactions. Lightning settlement: extremely fast transaction confirmations and settlement speed. Micropayments: Very low transaction costs, which can be used for automatic settlement between machines. Payment Tools: Provision of sophisticated online and offline payment tools.

6.5 Reliable Physical Channel

In the digital world, there are mature technologies that establish secure data transmission channels, but in the physical world, there are currently no well-developed technologies for similar functions. For example, in the logistics industry, goods are lost, stolen, and privacy leaks sometimes occur. Especially when transporting high-value and high-privacy goods, reliable transportation methods are urgently needed. Based on technologies such as NewIoT and NewChain, a reliable physical channel protocol can be designed and the relevant device manufacturing specifications are defined. Any third party can produce security devices according to the protocol's specifications and manufacturing specifications.

Establishing and closing a channel: After signing the transaction contract, the merchant puts the commodities into the security device and locks the security device using the customer's public key to establish a reliable physical channel. After the security device is delivered, the customer will unlock the security device using his/her private key and close the reliable physical channel. The above process will be automatically recorded onto NewChain.

Query physical channel status: The NewIoT module on the security device uploads its geographic location, visual and environment and other data to NewChain, and stakeholders can subscribe and view the data. Regulatory physical channel: For safe transportation, the regulatory key is issued to the certified regulatory authority, and the security device can be opened for inspection whenever necessary. Regulatory actions are automatically recorded and uploaded to NewChain and can be viewed by customers.

6.6 Automatic Finance

Traditional financial service systems have large audit workload with long periods, high costs, and poor flexibility causing difficulties in serving middle and small-sized enterprises and individuals.

Through digital identity and credit, supply chain, etc., a new self-finance system can be established. The self-finance system automatically combines smart contracts such as insurance, lending, and investment smart contracts to consumer financial services for individuals and supply chain financial services for enterprises. Build-in financial smart contracts: Defining financial smart contracts based on built-in smart contract templates on insurance, lending and investment including: digital identities and credits, user information, locked pass addresses, contract rules, and associated outside blockchain services. The system will automatically match the financial smart contract and complete the transaction matching.

6.7 NNIO

Developers can easily access NewNet through the NNIO (NewNet IO) protocol to use services such as storage, computing, and name services.

Storage Contract: Initiate and manage storage service requests through corresponding smart contract templates, including: digital identity and credit, application capacity, payment method, usage time, etc. Computing Contract: Initiate and manage computing service applications through corresponding smart contract templates, including: digital identity and credit, application capacity, payment method, time usage, associated NewAI tasks, and associated off-chain services. Name Contract: Apply for and cancel the name service through corresponding smart contract template, including: digital identity and credit, name, payment method.

7. Community economy

The human-machine community will establish a new economic model through smart collaboration and chain-commerce models, i.e. the community social economy. Newton is the infrastructure of the community economy and its technical framework includes: the application layer, the protocol layer and the basic technology layer, providing complete governance, collaboration, incentives and other support for the establishment of the community economy.

	Traditional business model	Community economy model
Organizational structure	Closed organizational structure where management difficulties increase with scale expansion.	Human-machine community with self-driven, automatic incentives.
Cooperation mode	Collaboration within the organization, semi-automatic, and requires manual intervention.	Smarter collaboration within and across organizations, industries, and geographies, and be smarter.
Incentive mechanisms	Most people contribute and only a few people benefit.	Everyone contributes and everyone benefits.
The ownership of the data	<ul style="list-style-type: none"> ● Third party owns user data. ● Privacy leaks. ● Third parties create wealth for a few people through user data. 	<ul style="list-style-type: none"> ● Users have their own data ● privacy protection ● Users can create wealth for themselves through their own data
Transaction cost	Commercial intermediaries pursue monopoly and super profits, pushing up transaction costs.	Without commercial intermediaries, transaction costs are effectively reduced.

Traditional Business vs Community Economy

The community economy will become a new world of innovation and entrepreneurship. For example, the well-known brand companies can export their commodities to the world through a hyper exchange protocol. Sellers will get new users and drastically reduce marketing costs. Through the establishment of a new form of financial services companies, the development of digital asset management, consumer finance and supply chain financial services will be realized. As contributors to the community economy, consumers will receive tokens as incentives to enjoy the wealth created by economic growth. Software developers should welcome a bigger software development markets, participate in the construction of protocol-based economic infrastructure and develop new applications for the entire human-machine community.

Join the Newton community economy! Everyone should benefit from economic growth!

References

1. Richard M. Stallman, 1985, "The GNU Manifesto", <https://www.gnu.org/gnu/manifesto.en.html>
2. Free Software Foundation, Inc., 2007, "GNU GENERAL PUBLIC LICENSE", <https://www.gnu.org/licenses/gpl.html>
3. Satoshi Nakamoto, 2008, "Bitcoin : A Peer-to-Peer Electronic Cash System", <https://www.bitcoin.org/bitcoin.pdf>
4. John Sullivan, 2011, "Bitcoins: A new way to donate to the FSF", <https://www.fsf.org/blogs/community/bitcoins-a-new-way-to-donate-to-the-fsf>
5. Vitalik Buterin, 2014, "DAOs, DACs, DAs and More: An Incomplete Terminology Guide", <https://blog.ethereum.org/2014/05/06/daos-dacs-das-and-more-an-incomplete-terminology-guide/>
6. Isaac Asimov, 1942-1993, Foundation series, https://en.wikipedia.org/wiki/Foundation_series
7. [WebAssembly's official website, https://webassembly.org](https://webassembly.org);
8. [Miles Young, January, 2018, "Ogilvy on Advertising in the Digital Age" , page 123, Bloomsbury USA;](#)